How to Exchange Secret on Low-cost Devices

Dang Nguyen Duc* and Kwangjo Kim*

*CAIS Lab, School of Engineering, Information and Communication University (ICU) 119, Munjiro, Yuseong-gu, Daejeon, 305-632, Republic of Korea Email: {nguyenduc, kkj}@icu.ac.kr Tel: +84-4-8312297

Abstract - In this paper, we present a 2-party lightweight key agreement protocol based on a hard learning problem called Learning Parity with Noise (LPN for short) problem. Our protocol requires only basic Boolean operations and random number generation which is very suitable for low computational devices like sensor nodes and RFID tags.

Keywords - Key Exchange, LPN Problem

1. INTRODUCTION

With the blossom of a wide range of low-cost (and low computational) devices, the need for efficient cryptographic protocols also rises. To meet this demand, the first approach one can consider is to seek for efficient implementation of current cryptographic protocols so that they can be implemented for low-cost devices. There are several shortcomings in this approach. First of all, it is not easy and even impossible in case of extremely low-cost devices like passive RFID tags. Secondly, if efficient implementation exists, such implementation might compromise security of the protocols. The second approach is to design new cryptographic protocols with efficiency constraint in mind. Although the second approach might result in less secure protocols comparing to current ones, it is arguably preferable as it allows designers to aim for a good balance between security and efficiency from the beginning.

A typical example for designing new cryptographic protocols for low-cost devices is security protocols RFID (*Radio Frequency Identification*) tags. An RFID tag is a tiny and extremely cheap computational device capable of short-range wireless communication. Because of its limited computational resource, a typical RFID tag can only perform basic Boolean operations, generate pseudo-random numbers possibly compute cryptographic hash operations. Given such tight constraints, it seems impossible to use cryptographic protocols employing block ciphers or public key cryptography for RFID tags. Therefore, many new cryptographic protocols for RFID devices have been proposed in [9,10,11,12,13]. These protocols use only XOR, pseudo-random number generation and hash functions and therefore are well suited for RFID tags. One problem with those protocols are their lack of a security

foundation, especially considering the state-of-the-art attacks on cryptographic hash functions. We think that lightweigt cryptographic protocols also need a good security foundation so that rigorous security analysis could be achieved. A perfect example for this kind of protocols is the HB+ authentication protocol by Juels and Weis [14]. HB+ not only is very efficient (and does not require cryptographic hash function) but also bases its security on a well-studied hard problem called *Learning Parity in the Presence of Noise* (LPN for short). The LPN problem has been shown to be NP-Complete and finds it cryptographic applications earlier due to the work of Hopper and Blum [7]. In [7], Hopper and Blum presented a human authentication protocol and proved its security based on the LPN problem. HB+ is an enhanced version of HB which is secure against active attacks.

Our contribution. We find that LPN problem is a very good foundation for lightweight protocol. In this paper, we present another application of the problem by presenting a lightweight key exchange protocol without the need for public key cryptography, block cipher and cryptographic hash function.

2. PREVIOUS WORKS

The LPN problem involves binary inner product of two k-bit numbers. The operation is defined as follows: given two k-bit number $a=(a_0a_1...a_{k-1})_2$ and $x=(x_0x_1...x_{k-1})_2$, the binary inner product of a and x, denoted as $a\cdot x$ is computed as follows: $a\cdot x=(a_0\wedge x_0)\oplus (a_1\wedge x_1)\oplus ...\oplus (a_{k-1}\wedge x_{k-1})$. Clearly, this operation can be easily implemented in cheap hardware. Furthermore, as noted by Juels and Weis [14], there is no need to buffer all k bits of a and x at once when evaluating $a\cdot x$. Therefore, memory requirement for this operation is also very low. The first cryptographic significance of binary inner product is due to Goldreich and Levin [19]. They proved that $a\cdot x$ is unpredictable if only either a or x is given. This result was subsequently used to construct a secure pseudo-random number generator (though not practical).

The first practical application related to binary inner product was introduced by Hopper and Blum [7]. They presented a human authentication protocol such that the human only needs

to evaluate one binary inner product operation, and generate a random bit. The protocol is called HB and is shown to be provably secure under the assumption a so-called *Learning Parity with Noise* (LPN for short) problem is intractable. To better illustrate the LPN problem, we now describe the HB protocol. In the HB protocol, the human (denoted as *H*, also called the prover) and a machine (denoted as *C*, also called the verifier) share a secret *x* of *k*-bit long. The protocol consists of several executions of a basic challenge-response protocol which is described in Fig. 1.

$$\begin{array}{cccc} \mathbf{Human}(x) & \mathbf{Machine}(x) \\ v \leftarrow \mathrm{Ber}_{\eta} & & & & & \\ z = (a \cdot x) \oplus v & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & &$$

Fig. 1. One Round of HB Protocol

Ber $_{\eta}$ denotes Bernoulli distribution with expected value η where η is in (0, 0.5) range and called noise factor (that is the bit v - known as noise bit - is generated independently for each protocol round and equals 1 with probability η). The purpose of v is to prevent eavesdropping adversaries from extracting the secret x after observing k pairs (a, z). The machine accepts the human after, say r rounds of the above protocol if and only if human produces roughly $r\eta$ incorrect responses.

It is straightforward that HB protocol is secure only if an eavesdropper observing messages exchanged between H and C has a negligible chance of impersonating H. More specifically, an eavesdropper A obtains r pairs (a, z) and tries to deduce a k-bit number x' such that using x' to carry out HB protocol, A would get accepted by C. The problem of finding such x' is called *Learning Parity with Noise* problem (LPN). However, as noted by Katz and Shin in [24], finding x' is essentially equivalent to finding x itself.

The LPN problem has been extensively studied in several research works including [4,5,6]. Those results show that LPN problem is very likely an intractable problem. To solve LPN problem as mentioned above, the best known algorithm by Blum *et al.* has sub-exponential complexity of 2^{O(k/log/s)}.

3. A KEY EXCHANGE PROTOCOL BASED ON LPN PROBLEM

Let's assume that two entities A and B wish to establish a common secret key over an insecure channel. We aim to design a protocol with both security and efficiency in mind so that even low-cost A and B can implement the protocol. We present such a protocol whose security is based on the LPN

problem. First, we observe that, given the pair $(a, z = (a \cdot x) \oplus$ v) where x is secret and (a, z) constitutes an instance of the LPN problem, then (a, z) is an encrypted message of the noise bit v. As Katz and Shin showed in [17], (a, z) is a pseudo-random bit string. Therefore, the above encryption scheme is semantically secure under ciphertext-only attack. Even though this encryption scheme is not secure against stronger types of attacks like known-plaintext attack or chosen-ciphertext attack, the design of our protocol allows the use of this encryption algorithm in a way that only ciphertext-only attack is relevant. Using this encryption scheme, A can securely transport 1 bit to B and vice versa. Then, one bit of the shared key can be computed by XORing two communicated bits. However, this trivial protocol is not secure against replay attack. To prevent replay attack and other more complicated attacks, we must use nonce when transport key material as well as provide key confirmation. To do so, we borrow ideas of the HB+ authentication protocol [14]. Similar to HB+, two entities in our key exchange protocol also share two k-bit secrets, say x and y. The protocol proceeds as follows (An illustration of the protocol is also given in Fig. 2.):

- $A \rightarrow B$: A sends (a, z_A) to B where a in $\{0, 1\}^k$ and $z_A = (a \cdot x) \oplus v_A$ with v_A is a randomly chosen bit.
- B → A: B replies with (b, z_B) such that b in {0, 1}^k and z_B = (b · x) ⊕ (a · y) ⊕ v_A ⊕ v_B with v_B is a randomly chosen bit
- A → B: if ν_A = ν_B, A sends a key confirmation message c = (a · x) ⊕ (b · y) ⊕ γ, Otherwise, it sends c = (b · x) ⊕ (a · y) ⊕ γ, Where γ is a noise bit generated according Ber_η.
- B: upon receiving c, B verifies that c either equals (a · x) ⊕
 (b · y) or (b · x) ⊕ (a · y) if v_A = v_B or otherwise, respectively. The confirmation message is verified in the same manner as in the HB+ protocol. That is, after repeating this same protocol for r rounds (i.e., A and B wishes to share r secret bits), B should accept A if it receives roughly rη incorrect key confirmation messages from A.
- *A*, *B*: the two parties compute 1 bit of shared secret as $v_{AB} = v_{A} \oplus v_{B}$.

In the above protocol, at first A securely sends its contribution to shared secret, v_A , to B. B not only sends back its contribution v_B to A but also incorporates a and v_A into its message to prevent reflection attack. To prevent unknown key share attack, A needs to send a key confirmation message c. Indeed, the message c only provides key confirmation for b. Therefore, when b and b exchange the next secret bit, they can change their roles so that this time b is the one to receive a key confirmation message.

Regarding the relation of our protocol with the LPN problem, we can see that a collection of the pair (a, z_A) forms an instance

of LPN problem with the noise factor $\eta=0.5$. Indeed, there is no restriction on the noise factor in our protocol which means v_A can be drawn from any probability distribution rather than Bernoulli or uniform distributions. This allows flexibility in implementing our protocol on low-cost hardware. Note that, this is different in the HB and HB+ authentication protocols, where the noise factor has to be fixed and strictly smaller than 0.5 and roughly about 1/8 in practice. However, since the LPN problem becomes harder as the noise factor gets close to 0.5, we can see that our protocol potentially offers better security strength than HB and HB+ protocols.




Fig. 2. Our Proposed Key Exchange Protocol

Comparison with other Protocols. There are many key agreement protocols known in cryptographic literature including Diffie-Hellman, Matsumoto-Takashima-Imai and Menezes-Qu-Vanstone protocols. All of these protocols are based on public key cryptography and therefore require significant computational resources. In contrast, our protocol requires only basic Boolean operations and pseudorandom number generation. Unfortunately, our protocol is not good at bandwidth utilization as it can only allow two parties to share 1 bit for 1 round. However, we think this property is suitable for low-cost devices without any state-of-the-art block cipher implementation and the need to communicate a large amount of data. In case of low-cost devices, they usually need to communicate a short amount of data and combining our key agreement protocol with one-time pad encryption scheme should be an appealing solution.

5. CONCLUSION

In this paper, we have presented a lightweight key exchange

protocol based on the LPN problem. Our protocol allows two parties to exchange 1 bit secretly at a time and requires only basic Boolean operations. We think our protocol is specifically suitable for low-cost devices like sensor nodes or RFID tags.

ACKNOWLEDGEMENT

This work was supported by the IT R&D program of MIC/TTA. [2008-P1-05-08I92, Mobile and next generation RFID technology standards development.

REFERENCES

- [1] E. R. Berlekamp, R. J. McEliece and H. C. A Van Tilborg, *On the Inherent Intractability of Certain Coding Problems*, IEEE Transactions on Information Theory, Vol. 24, pp. 384–386, 1978.
- [2] Amos Fiat and Adi Shamir, *How to Prove Yourself: Practical Solutions to Identification and Signature Problems*, Proceedings of CRYPTO'86, A. M. Odlyzko (Ed.), Springer-Verlag, LNCS 263, pp. 186—194, 1987.
- [3] Oded Goldreich and L.A. Levin, *Hard-core Predicates* for Any One-Way Function, 21st ACM Symposium on Theory of Computation, pages 25–32, 1989.
- [4] Johan Hastad, *Some Optimal Inapproximability Results*, Proceedings of the Twenty-Ninth Annual ACM Symposium on Theory of Computing, ACM Press, pp. 1--10, May, 1997.
- [5] Michael Kearns, *Efficient noise-tolerant learning from statistical queries*, Journal of ACM Volume 45, Issue 6, ACM Press, pp. 983--1006, November, 1998.
- [6] Avir Blum, Adam Kalai and Hal Wasserman, *Noise-tolerant Learning, the Parity Problem, and the Statistical Query Model*, Proceedings of the Thirty-Second Annual ACM Symposium on Theory of Computing, ACM Press, pp. 435-440, 2000.
- [7] Nicholas Hopper and Manuel Blum, *A Secure Human-Computer Authentication Scheme*, Proceedings of ASIACRYPT'01, Bart Preneel (Ed.), Springer-Verlag, LNCS 2248, pp. 149—153, 2001.
- [8] Stephen Weis, Security and Privacy in Radio Frequency Identification Devices, Master Thesis, Available at http://theory.lcs.mit.edu/~sweis/masters.pdf, May 2003.
- [9] Miyako Ohkubo, Koutarou Suzuki, and Shingo Kinoshita, *Efficient Hash-Chain Based RFID Privacy Protection Scheme*, Proceedings of International Conference on Ubiquitous Computing, Workshop Privacy, September 2004.
- [10] Gildas Avoine and Philippe Oechslin, *A Scalable and Provably Secure Hash-Based RFID Protocol*, Proceedings of Workshop on Pervasive Computing and Communications

Security - PerSec'05, March 2005.

- [11] Gildas Avoine, Etienne Dysli, and Philippe Oechslin, *Reducing Time Complexity in RFID System*, Proceedings of Selected Areas in Cryptography (SAC)'05, Bart Preneel and Stafford Tavares (Ed.), Springer-Verlag, LNCS 3897, pp. 291-306, 2005.
- [12] D. Molnar, A. Soppera and D. Wagner, *A Scalable, Delegatable Pseudonym Protocol Enabling Ownership Transfer of a RFID Tag, Proceedings of Selected Areas in Cryptography (SAC)'05, Bart Preneel and Stafford Tavares (Ed.), Springer-Verlag, LNCS 3897, pp. 276--290, 2005.*
- [13] Tassos Dimitriou, A Lightweight RFID Protocol to Protect against Traceability and Cloning Attacks, Proceedings of SecureComm'05, September 2005.
- [14] Ari Juels and Stephen Weis, *Authenticating Pervasive Devices with Human Protocols*, Proceedings of CRYPTO'05, Victor Shoup (Ed.), Springer-Verlag, LNCS 3261, pp. 293—308, 2005.
- [15] Henri Gilbert, Matthew Robshaw and Herve Silbert, *An Active Attack Against HB+ A Provably Secure Lightweight Authentication Protocol*, Available at http://eprint.iacr.org/2005/237.pdf.
- [16] Oded Regev, On Lattices, Learning with Errors, Random Linear Codes, and Cryptography, Proceedings of 37th ACM Symposium on Theory of Computing, ACM, pp. 84--93, 2005.
- [17] Jonathan Katz and Ji Sun Shin, *Parrallel and Concurrent Security of the HB and HB+ Protocols*, Available at http://eprint.iacr.org/2005/461.pdf.

4